


ASSEMBLY INSTRUCTIONS

e-sportshop.cz



ASSEMBLY INSTRUCTIONS

Red hexagonal

FOOTBALL GOAL 11



1

Please read the assembly instructions carefully before installing your net.

Goal, net brackets and net hooks are sold separately.

1 person is required for this assembly. Estimated assembly time for one goal: 45 minutes.

DESCRIPTION OF MEASURES



Set of 2 high density polypropylene nets for 11-a-side football goals. The mesh is hexagonal, without knots, and its thickness is 4 mm. It also includes a tensioning rope for a better fastening of the net to the goal.

Regulatory measures:

Largo: 7,50 m. Alto: 2,50 m. Fondo: 2 m.

Standards:

The nets comply with all requirements of the standard for playground equipment: EN 748.

CONTENTS


Hexagonal Football Nets without Nodes Instruction Manual

EXTRA

Tensioning rope


Includes tensioning rope in the upper rear hoop, to better secure the net to the goal and thus avoid possible displacements.

1 UNFOLDING Unfold the net and identify the top of the net by two labels sewn on the corners of each side, left and right. On the back of the crossbar, label A is placed on the left side and label B on the right side.




2. FIXING

First place both corners at each end of the crossbar so that the label is on top of the crossbar.




Then fix the net to the side uprights and rear bar with the tensioning rope.




Due to the nature of hexagonal mesh nets, the edge of the crossbar will appear to be too long, but this is correct.

3 MOUNT CROSSBAR


Clamp the crosswise edge of the net evenly to the crossbar, taking the centre as the first clamp and repeating successively until the net is completely tightened. Finally redistribute and tighten.



1 hook for every three medals



To ensure a square profile on the net and to prevent the back of the net from tilting upwards, you may have to lower the net supports.




4 Corrections

Corrections according to hook style.

All areas of the mesh should be fixed according to the style of your hook without leaving large gaps between the hooks. We recommend 1 hook for every 3 meshes. The different grips should be distributed for an even view of the net.

Back view



5 MAINTENANCE

Proper maintenance of football nets is essential to ensure the long life of the nets and the safety and proper functioning of the sports facilities. Check the condition of the netting. It is necessary to periodically check that the state of the nets is still in good condition. Check the elements that hold the netting in place. Often the net itself has not deteriorated, but the element that holds it firmly to the goal or the post of the perimeter fence has deteriorated. It is advisable to check frequently that the netting has a good grip. In case of maintenance of the playing surface or pitch, it is recommended to remove the net.

6 STORAGE

The nets are made of high tenacity polypropylene fibres with anti-solar treatment, which perform very well in the sun and are excellent against abrasion. Nevertheless, the following precautions shall be taken:

- Nets shall be stored in dry rooms away from wet areas, on wooden shelves or stored in closed containers. If they have become wet, dry before storage.
- Nets shall be protected from UV radiation.
- Do not store exposed to heat sources or in areas where they may come into contact with materials or substances (bases, solvents, oils, welding, radials, etc.).
- If they may come into contact with welding particles, protect them with fireproof tarpaulins.

7 REPLACEMENT

It is important to establish a check of the sports nets in order to detect tears or rips in the netting. In this case, the net should be replaced.

--

Tým E-sportshop
+420 387 411 543
obchod@e-sportshop.cz
RADANSPOŘT s.r.o.
Za Otýlíí 10
370 01, České Budějovice
Czech Republic



www.leondeoro.com

